

Rural-type fencing built with pine wood with autoclave treatment and galvanized and oven-lacquered electro-welded gate.

MATERIAL

- Class 4 autoclaved pine wood
- Autoclave treatment using the BETHELL system (vacuum-pressure) based on water-soluble salts free of chromium and arsenic.
- Mesh grille with folds for greater resistance, galvanized and oven-lacquered finish.
- GALVANIZED OR ZINC PLATED METAL ELEMENTS + OVEN LACQUERED (ACCORDING TO MODEL).

MEASURES:

- 1 meter - **Ref. VYELLOWSTONE1.0V**
- 1,5 meters - **Ref. VYELLOWSTONE1.2V**

ANCHOR ELEMENTS:



Terminal.





Screw-in plate.



Hook for slope and corner.



Straight intermediate hitch without slope.






WOODEN FENCES YELLOWSTONE




MEASURES (mm)




INSTALLATION EXAMPLE

Flat ground.




Uneven terrain.






WOODEN FENCES YELLOWSTONE

INSTALLATION ON THE FLOOR ACCORDING TO THE GROUND




On sand.

Concrete dice on
200 x 200mm hole and
concrete the pillar.



On hard ground.

Concrete dice in a
150x150 mm hole. and
concrete the pillar.



With plate.

Screw to the ground
using metal plugs. Only
for flat surfaces (with
little unevenness).

WOOD CERTIFICATE

That the supplied N-IV protection poles are made of pine wood from the Pyrenees, completely healthy and dry, and treated with an autoclave using the BETHELL system (empty-pressure) with water-soluble salts TANALITH E 3474 from the firm ARCH TIMBER PROTECTION, with Registration No.: SE/MR (NA)-2016-08-00370, for class of use 4, penetration NP5, following the regulations:

UNE 56-414-88

UNE 56-416-88

UNE EN 335-2013

UNE EN 350-2016

UNE EN 351-1-2007

UNE EN 351-2-2007

UNE EN 460-1995

WOOD PROTECTION - Nature of the protectors.

WOOD PROTECTION - Treatment methods.

WOOD DURABILITY - Classes of use.

WOOD DURABILITY- Resistance to biological agents.

WOOD DURABILITY- Penetrations and retentions.

WOOD DURABILITY- Sampling for analysis.

WOOD DURABILITY- Natural durability.

CU:4

PENETRATION: NPS

WOOD SPECIES: Scots Pine



 www.adourbanfurniture.com



+34 93 116 29 75 (International) | +34 93 456 03 03 (Spanish)



info@adourbanfurniture.com